

AD-A046 531

VIRGINIA UNIV CHARLOTTESVILLE DEPT OF CHEMISTRY
NEW FERRABORANES. STRUCTURAL ANALOGUES OF HEXABORANE (10) AND F--ETC(U)
OCT 77 R WEISS, R N GRIMES

F/G 7/3

N00014-75-C-0305

UNCLASSIFIED

TR-24

NL


| OF |
AD
A046531



END
DATE
FILMED

12-77

DDC



MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A

AD A 0 46531

OFFICE OF NAVAL RESEARCH

Contract No. N00014-75-C-0305

Task No. NR 053-569

TECHNICAL REPORT NO. 24

6 New Ferraboranes. Structural Analogues of Hexaborane (10) and Ferrocene. A Complex of Cyclic $B_5H_{10}^{(-)}$, a Counterpart of $C_5H_5^{(+)}$

10 Richard Weiss ~~and~~ Russell N. Grimes
Department of Chemistry, University of Virginia
Charlottesville, Virginia 22901


Prepared for Publication
in the
Journal of the American Chemical Society

11 Oct ~~1976~~ 1977

Reproduction in whole or in part is permitted
for any purpose of the United States Government

Approved for public release; distribution unlimited

AD No. _____
DDC FILE COPY



New Ferraboranes. Structural Analogues of Hexaborane(10) and
Ferrocene. A Complex of Cyclic $B_5H_{10}^-$, a Counterpart of $C_5H_5^-$

Richard Weiss and Russell N. Grimes*
Department of Chemistry
University of Virginia
Charlottesville, VA 22901

Abstract. A new metallocborane, 2-($\eta^5-C_5H_5$)FeB $_5$ H $_{10}$ (I), was prepared in the reaction of FeCl $_2$, Na $^+$ C $_5$ H $_5^-$, and Na $^+$ B $_5$ H $_8^-$ in tetrahydrofuran at 25° and isolated as violet crystals via silica gel chromatography. At 175-180° I slowly rearranged to a new isomer, 1-($\eta^5-C_5H_5$)FeB $_5$ H $_{10}$ (II). From electron-impact and chemical ionization mass spectra, ^{11}B NMR, and 1H NMR, I and II were structurally characterized as nido-ferraboranes analogous to B $_6$ H $_{10}$, having a pentagonal pyramidal framework with the (C $_5$ H $_5$)Fe group occupying a basal position in I and the apex in II. Both species are isoelectronic with ferrocene, but II is also isostructural with that complex and contains a cyclic B $_5$ H $_{10}^-$ ligand; accordingly, II can be described as "pentaboraferrocene". Complexes I and II are also analogues of B $_6$ H $_{10}$. Compound II is the first known example of a complex containing a cyclic pentaboranyl ligand.

ACCESSION for	
NTIS	Whole Section <input checked="" type="checkbox"/>
DDC	Full Section <input type="checkbox"/>
UNCLASSIFIED	<input type="checkbox"/>
BY	
DISTRIBUTION/AVAILABILITY CODES	
Dist.	AVAIL. CODE/SPECIAL
A	

We report the preparation and characterization of two isomers of a new metalloborane, $(\eta^5\text{-C}_5\text{H}_5)\text{FeB}_5\text{H}_{10}$, which are isoelectronic, and in one case also isostructural, with $(\eta^5\text{-C}_5\text{H}_5)_2\text{Fe}$ (ferrocene). The reaction of anhydrous FeCl_2 with $\text{Na}^+\text{C}_5\text{H}_5^-$ and $\text{Na}^+\text{B}_5\text{H}_8^-$ in tetrahydrofuran at 25°C afforded violet crystals of $2-(\eta^5\text{-C}_5\text{H}_5)\text{C}\text{FeB}_5\text{H}_{10}$ (I), whose proposed structure is shown in Figure 1. This compound was isolated in low yield as a moderately air-sensitive solid by extraction with methylene chloride followed by chromatography on a silica gel column. Large quantities of ferrocene and small amounts of other ferraboranes, currently under investigation, were also obtained. The fact that I is the major ferraborane product is in sharp contrast with the reaction of CoCl_2 , $\text{Na}^+\text{C}_5\text{H}_5^-$, and $\text{Na}^+\text{B}_5\text{H}_8^-$ which generated a host of three- and four-boron metalloboranes but gave no detectable five-boron products.¹

The characterization of I was accomplished from its electron-impact mass spectrum, which exhibited a parent ion with the major cutoff at m/e 186; the chemical ionization mass spectrum (calc. for $^{56}\text{Fe}^{11}\text{B}_5^{12}\text{C}_5^+\text{H}_{16}$ ($M + 1$ peak), 187.1067, found, 187.1062); the uncoupled and proton-decoupled ^{11}B Fourier transform NMR spectra (Table I); and the uncoupled and ^{11}B -decoupled proton NMR spectra (Table II), which confirm the presence of five

B-H_{terminal} units and five bridging hydrogen atoms. The high-field proton NMR signal of two of the bridging hydrogen atoms is consistent with the presence of two Fe-H-B bridge groups. The assigned nido geometry is in agreement with these data as well as with the presence of 16 skeletal valence electrons (1 from (C₅H₅)Fe, 1 from each H bridge, and 2 from each BH unit) in a 6-vertex framework, corresponding to a (2n + 4)-electron system.²

Since I is isoelectronic with ferrocene, it was of interest to attempt the thermal rearrangement of I to the 1-(η^5 -C₅H₅)FeB₅H₁₀ isomer (II) in which iron occupies the apex position in the FeB₅ pyramid, corresponding to ferrocene with one C₅H₅⁻ ligand replaced by B₅H₁₀⁻. Precedent for a metalloborane rearrangement of this kind was given by the thermal conversion^{1a,1} of the square pyramidal species 2-(η^5 -C₅H₅)CoB₄H₈ to the 1-isomer, in which cobalt moves from a basal to an apical location. In the present system, the isomerization of I to II was conducted by heating a 20-mg sample without solvent in a sealed tube at 175°, which in 20.5 h resulted in the isomerization of approximately a third of the sample as measured by NMR. The mixture was placed in toluene-d₈ and heated for 70 h at 175° and 5 h at 180° with periodic monitoring by ¹H NMR, producing essentially complete conversion to isomer II together with small amounts of insoluble decomposition products.

The proposed structure of II (Figure 1) is supported by its NMR spectra as given in Tables I and II. The observation of only one boron environment, and of single B-H_{terminal} and B-H-B resonances, virtually establishes the structure shown. Compound II represents the first known complex containing a cyclic B₅ ligand, although the planar C₂B₃H₇²⁻ and C₂B₃H₅⁴⁻ ligands are found in such species as (η⁵-C₅H₅)CoC₂B₃H₇³, (CO)₃FeC₂B₃H₇⁴, and 1,7,2,3- and 1,7,2,4-(η⁵-C₅H₅)₂Co₂C₂B₃H₅^{3,5}; the last three structures mentioned have been confirmed by X-ray studies.^{5a,6,7} Examples are also known of transition metals pentacoordinated to a B₅ ring which is part of a larger borane ligand, as in the (η⁵-C₅H₅)NiB₁₁H₁₁⁻ ion.⁸ Both I and II may be viewed as analogues of B₆H₁₀ with a (η⁵-C₅H₅)FeH group replacing a basal or apical BH unit, and are similarly related to the known species (CO)₃FeB₅H₉.⁹ At the same time, the metallocene-like sandwich structure of II suggests the trivial name "pentaboraferrocene". These complexes

further illustrate the structural and electronic relationship which is currently emerging between the borane and metallocene classes^{2a,5c,10} in much the same manner that the recently reported Co₃B₃, Co₃B₄, and Co₄B₄ metalloboron clusters¹ tend to bridge the gap between the metal clusters and the polyhedral boranes. Systematic studies of their chemistry should help to define more clearly the nature and extent of these analogies.

Acknowledgment. This work was supported by the Office of Naval Research.

References

1. (a) V. R. Miller, R. Weiss, and R. N. Grimes, J. Am. Chem. Soc., 99, 5646(1977); (b) V. R. Miller and R. N. Grimes, ibid., 95, 5078 (1973); (c) V. R. Miller and R. N. Grimes, ibid., 98, 1600 (1976).
2. (a) K. Wade, Adv. Inorg. Chem. Radiochem., 18, 1 (1976); (b) R. W. Rudolph, Acc. Chem. Res., 9, 446 (1976).
3. R. N. Grimes, D. C. Beer, L. G. Sneddon, V. R. Miller, and R. Weiss, Inorg. Chem., 13, 1138 (1974).
4. L. G. Sneddon, D. C. Beer, and R. N. Grimes, J. Am. Chem. Soc., 95, 6623 (1973).
5. (a) D. C. Beer, V. R. Miller, L. G. Sneddon, R. N. Grimes, M. Mathew, and G. J. Palenik, J. Am. Chem. Soc., 95, 3046 (1973); (b) V. R. Miller and R. N. Grimes, J. Am. Chem. Soc., 97, 4213 (1975); (c) R. Weiss and R. N. Grimes, J. Organometal. Chem., 113, 29 (1976).
6. J. P. Brennan, R. N. Grimes, R. Schaeffer, and L. G. Sneddon, Inorg. Chem., 12, 2226 (1973).
7. W. T. Robinson and R. N. Grimes, Inorg. Chem., 14, 3056 (1975).
8. B. P. Sullivan, R. N. Leyden, and M. F. Hawthorne, J. Am. Chem. Soc., 97, 455 (1975).
9. T. P. Fehlner, J. Ragaini, M. Mangion, and S. G. Shore, J. Am. Chem. Soc., 98, 7085 (1976).
10. K. Wade, Inorg. Nucl. Chem. Letters, 8, 563 (1972).

Table I. 32.1-MHz ^{11}B NMR Data (toluene- d_8)

Compound	Rel. Area	δ^a	$J_{\text{B-H}_t}$ (Hz) ^b
I	2	44.4	145
	2	8.2	146
	1	-53.0	140
II		5.1	145

^a Ppm relative to $\text{BF}_3 \cdot \text{O}(\text{C}_2\text{H}_5)_2$, with positive sign indicating shift to lower field. ^b All signals were observed as doublets in the uncoupled spectra, and as singlets in the ^1H -decoupled spectra.

Table II. 100-MHz ^1H NMR Data (toluene- d_8)

Compound	δ^a	Multiplicity (J, Hz)	Rel. Area	Assignment
I	4.04	singlet	5	C_5H_5
	6.96	quartet (147)	2	$\text{H}_t\text{-B}$
	3.86	quartet (153)	2	$\text{H}_t\text{-B}$
	-0.55	quartet (141)	1	$\text{H}_t\text{-B}$
	-1.70	broad singlet	2	B-H-B
	-2.33	broad singlet	1	B-H-B
	-15.99	quartet (70)	2	Fe-H-B
II	4.23	singlet ^b	1	C_5H_5
	3.50	singlet	1	$\text{H}_t\text{-B}$
	-4.52	broad singlet	1	B-H-B







^a Ppm relative to $(\text{CH}_3)_4\text{Si}$, with positive sign indicating shift to lower field.

^b Measured from ^{11}B -decoupled spectrum.

Figure Caption

Figure 1. Proposed structures of $2-(\eta^5\text{-C}_5\text{H}_5)\text{FeB}_5\text{H}_{10}$ (I) and $1-(\eta^5\text{-C}_5\text{H}_5)\text{FeB}_5\text{H}_{10}$ (II). Connecting lines between iron and boron are omitted in II in order to emphasize the sandwich-like arrangement of ligands.

$(C_5H_5)FeB_5H_{10}$ ISOMERS



~~Unclassified~~

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER Technical Report No. 24	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) New Ferraboranes. Structural Analogues of Hexaborane(10) and Ferrocene. A Complex of Cyclic B_5H_{10} , a Counterpart of C_5H_5		5. TYPE OF REPORT & PERIOD COVERED Interim
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) Richard Weiss and Russell N. Grimes		8. CONTRACT OR GRANT NUMBER(s) N00014-75-C-0305
9. PERFORMING ORGANIZATION NAME AND ADDRESS University of Virginia Department of Chemistry Charlottesville, Virginia 22901		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS NR 053-569
11. CONTROLLING OFFICE NAME AND ADDRESS Chemistry Branch, Office of Naval Research Arlington, Virginia 22217		12. REPORT DATE October, 1977
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		13. NUMBER OF PAGES 8
		15. SECURITY CLASS. (of this report) Unclassified
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Metalloboranes Cycloborane complex Ferraboranes Iron Hexaborane(10) Ferrocene		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) See page 1		

TECHNICAL REPORT DISTRIBUTION LIST

<u>No. Copies</u>		<u>No. Copies</u>		
	Dr. W. N. Lipscomb Department of Chemistry Harvard University Cambridge, Massachusetts 02138	1		
		Dr. A. Cowley University of Texas Department of Chemistry Austin, Texas 78712	1	
		Dr. W. Hatfield University of North Carolina Department of Chemistry Chapel Hill, North Carolina 27514	1	
	Dr. M. Tsutsui Department of Chemistry Texas A&M University College Station, Texas 77843	1	Dr. D. Seyferth Massachusetts Institute of Technology Department of Chemistry Cambridge, Massachusetts 02139	1
	Dr. C. Quicksall Department of Chemistry Georgetown University 37th & O Streets Washington, D.C. 20007	1	Dr. M. H. Chisholm Princeton University Department of Chemistry Princeton, New Jersey 08540	1
	Dr. M. F. Hawthorne Department of Chemistry University of California Los Angeles, California 90024	1	Dr. B. Foxman Department of Chemistry Brandeis University Waltham, Massachusetts 02154	1
	Dr. D. B. Brown Department of Chemistry University of Vermont Burlington, Vermont 05401	1		
	Dr. Alan Siedle National Bureau of Standards Department of Commerce Chemistry Section Washington, D.C. 20375	1		
	Dr. W. B. Fox Naval Research Laboratory Chemistry Division Code 5130 Washington, D.C. 20375	1		
	Dr. R. J. Lagow University of Texas Department of Chemistry Austin, Texas 78712	1		

TECHNICAL REPORT DISTRIBUTION LIST

No. Copies

No. Copies

Office of Naval Research
Arlington, Virginia 22217
Attn: Code 472

2

Office of Naval Research
Arlington, Virginia 22217
Attn: Code 102IP

6

ONR Branch Office
536 S. Clark Street
Chicago, Illinois 60605
Attn: Dr. George Sandoz

1

ONR Branch Office
715 Broadway
New York, New York 10003
Attn: Scientific Dept.

1

ONR Branch Office
1030 East Green Street
Pasadena, California 91106
Attn: Dr. R. J. Marcus

1

ONR Branch Office
760 Market Street, Rm. 447
San Francisco, California 94102
Attn: Dr. P. A. Miller

1

ONR Branch Office
495 Summer Street
Boston, Massachusetts 02210
Attn: Dr. L. H. Peebles

1

Director, Naval Research Laboratory
Washington, D.C. 20390
Attn. Library, Code 2029 (ONRL) 6
Technical Info. Div. 1
Code 6100, 6170 1

The Asst. Secretary of the Navy (R&D)
Department of the Navy
Room 4E736, Pentagon
Washington, D.C. 20350 1

Commander, Naval Air Systems Command
Department of the Navy
Washington, D.C. 20360
Attn: Code 310C (H. Rosenwasser) 1

Defense Documentation Center
Building 5, Cameron Station
Alexandria, Virginia 22314

12

U.S. Army Research Office
P.O. Box 12211
Research Triangle Park, North Carolina 27709
Attn: CRD-AA-IP

Commander
Naval Undersea Research & Development
Center
San Diego, California 92132
Attn: Technical Library, Code 133 1

Naval Weapons Center
China Lake, California 93555
Attn: Head, Chemistry Division 1

Naval Civil Engineering Laboratory
Port Hueneme, California 93041
Attn: Mr. W. S. Haynes 1

Professor O. Heinz
Department of Physics & Chemistry
Naval Postgraduate School
Monterey, California 93940

Dr. A. L. Slafkosky
Scientific Advisor
Commandant of the Marine Corps (Code RD-1)
Washington, D.C. 20380 1